

No 446.

Pte MEARS

STAGE III.

OPERATION FOR LOSS OF LOWER LIP & CHIN

DIAG I.

A & C. = Flaps of mucous membrane

B. Flap of skin turned up to form lining to lip

D. Sterno-mastoid flap detached at upper end.

DIAG II.


Showing flaps A. B & C. turned up.

DIAG III.

Same as DIAGS I & II with flap D. turned down.

DIAG IV.

Flaps sutured in place. Drain tubes. Wound left by division of upper pedicle sutured.



No 446

Pte MEARS

OPERATION FOR LOSS OF LOWER LIP & CHIN

STAGE I. 26-2-18

DIAG. I.

Sterno mastoid flap outlined.

STAGE II. DIAG. II. 18-4-18.

Sterno mastoid flap raised. Deep surface skin grafted and incision sutured

DIAG. III.

Flaps A & B outlined. Remains of lower lip C & D freed. Flap E cut from skin of neck adjoining tongue. Flap F cut from skin of chest.

DIAG. IV.

Remains of lower lip C & D and flap E (turned up) and sutured


DIAG. V.

Same as diag IV. but carried further.


DIAG. VI.




Flaps A & B and flap F (swung up on its pedicle) used to cover raw surface. G. surface partially sutured and left to granulate.

1.






No 446.
 Pte MEARS
 STAGES I. & II
 OPERATION
 26-2-18.





B.



No 446
Pie MEARS

No 466.
Pte MEARS C.W.
Operation 6.3.19



Fig II.





Fig III.



Figs II. & III. - RIB cut & shaped.